

DECISION

In accordance with Article 113 § of the Act of 14 June 1960, *Code of Administrative Procedure* (consolidated text: Journal of Laws of 2022, item 2000, hereinafter - *CAP*), as an obvious clerical mistake was identified in the content of the decision of the Mayor of the Town of Kłodzko of 06.02.2023, ref.: WI.6220 .5.16.2022.KK.5.16.2022.KK, on issuing a decision on environmental conditions for the implementation of the project entitled: "**Removal of the old and construction of a new water supply network Task 2B.1/1. Flood Protection of the Nysa Kłodzka Valley**", planned to be implemented on the area of plot no. 12/6, plot no. 12/5, plot no. 9/5, plot no. 2/5 precinct 0001 Zagórze and plot no. 2/5, plot no. 69/2, plot no. 3 precinct 0012 Stadion in the town of Kłodzko, **it is decided as follows**

to correct, *ex officio*, an obvious clerical error in the decision of 06.02.2023 ref: WI.6220.5.16.2022.KK, as follows: in the first page of the said decision in point 2a **instead of the words** "the area of the construction site back-up facilities and technological roads and yards should be located outside the boundaries of protection zones of groundwater intakes, at a distance of not less than 100 m from existing water reservoirs, riverbed and wetland sites, on the sealed and hardened ground", **it should read** "the area of the construction site back-up facilities should be located outside the boundaries of protection zones of groundwater intakes, at a distance of not less than 100 m from existing water reservoirs, riverbed and wetland sites, on the sealed and hardened ground".

REASONS

An obvious mistake, which constitutes a clerical error, was made in the decision of 06.02.2023, ref.: WI.6220.5.16.2022.KK. Pursuant to Article 113 § 1 of the *CAP*, a public administration body may rectify, *ex officio*, or at the request of the parties, clerical and accounting errors and other obvious mistakes in the decisions issued by the authority.

The authority found that point 2a mistakenly included a provision to locate the technological roads and yards outside the boundaries of protection zones of groundwater intakes, at a distance of not less than 100 m from existing water reservoirs, riverbed and wetland sites, on the sealed and hardened ground", which is not consistent with the information contained in the Project Information Sheet.

In view of the foregoing, it has been decided as in the conclusion.

Pursuant to Article 113 § 1 of the CAP, this decision may be appealed against by the parties to the Self-Government Appeal Tribunal in Wałbrzych, through the Mayor of Town of Kłodzko, within 7 days from its delivery.



MAYOR OF THE TOWN OF KŁODZKO

Mayor of the Town of Kłodzko, Michał Piszko

Recipients:

1. Applicant's Representative
2. Parties to the administrative proceedings, by making the notice of the decision available in the Public Information Bulletin on the page <http://www.um.bip.klodzko.pl>, in accordance with Article 49 §1 of the Code of Administrative Procedure;
3. to files

Prepared by: Karolina Kociubińska
Environmental and Water Management Inspector
tel. 74 8 65 46 14