

# REGIONAL DIRECTOR FOR ENVIRONMENTAL PROTECTION IN WROCŁAW Al. JANA MATEJKI 6 50-333 Wrocław

Państwowe Gospodarstwo W Regionalny Zarząd Gospodarki V	Vodinaj vrzi kradenista
WPŁYNĘŁO D	NIA:
03-11-2	120
L.dz.	Found
Liczba zał. 07331	JRP

WOOŚ.420.16.2020.AP.18

Wrocław, 30 October 2020

#### DECISION

Pursuant to Article 71(2)(2), Article 75(1)(1i), Article 82 and Article 85(1)(2)(1) of the Act of 3 October 2008 on access to information on the environment and its protection, public participation in environmental protection and environmental impact assessment (i.e. Journal of Laws of 2000, item 283, as amended), and also § 3(1)(67) of the regulation of the Council of Ministers of 10 September 2019 on the investments that may significantly affect the environment (Journal of Laws of 2019, item 1839) and art. 104, 108 § 1 of the Act of 14 June 1960, the Code of Administrative Procedure (i.e. Journal of Laws of 2000, item 256, as amended), after examination into the application submitted by the investor - the State Water Holding Polish Waters, acting through the intermediation of the State Water Holding Polish Waters Regional Water Management Authority in Wrocław, on behalf of which acts the representative, Ms Alicja Borowska, for issuing a decision on environmental conditions,

#### l establish

environmental conditions for the project entitled: "Task 2B.2/2 Flood protection of the valleys of the Bystrzyca Dusznicka River and the Kamienny Potok River (passive protection) - Polanica-Zdrój Facility" in scenario 1.

## I. I determine:

### 1. The type and location of project implementation:

The planned project consists in the construction, reconstruction and reinstatement of regulatory structures together with the facilities connected with them technically and in the construction of a flood protection embankment in the area of the sewage treatment plant. The planned project will be carried out within the Bystrzyca Dusznicka riverbed and in the immediate vicinity of watercourse bed at the section from approx. 14+025 km to approx. 16+980. The project will be implemented within the boundaries of the Lower Silesia Province, in the Kłodzko Poviat, in the commune of Polanica-Zdrój, in the town of Polanica-Zdrój and partially in the commune of Kłodzko, within the Szalejów Górny registry area (a flood bank protecting the sewage treatment plant below Polanica-Zdrój in the Bystrzyca Dusznicka Valley).

- 2. The significant conditions for land use at the stage of project implementation, taking into special account the need to protect valuable environmental assets, natural resources and historical sites and to reduce nuisance to their neighbouring areas:
  - 2.1. Machinery and vehicle parking areas must be adequately protected after the works are completed against the penetration of contamination into the soil and water (in the event of leakage, breakdown of vehicles and machinery), including appropriate sorbent stands.
  - 2.2. In the case of emissions of petroleum-based pollutants into water, immediate action must be taken to prevent the spread of the pollutants and remove the pollutants from the water surface without delay.
  - 2.3. The wastes generated during the implementation of works should be categorised and stored separately in tight containers or at places being enclosed and adapted for this purpose, under conditions which prevent dusting and dispelling light fractions, and their negative effects on the environment.
  - 2.4. Segregation and storage of hazardous waste to be conducted in designated sealed containers set up on area hardened, marked and secured against access by third parties, until they are handed over to entities authorised to further manage this type of waste.
  - 2.5. The disposal and transport of wastes containing asbestos shall be carried out only by licensed operators.
  - 2.6. Construction and regulatory works in riverbeds and on bank slopes shall be carried out in such a way that the front of the works moves with the river current (excluding the construction of the debris flow dam, construction of ramps and embankment).
  - 2.7. Reduction of dust from construction sites and roads to be implemented through:
    - systematic cleaning of the construction site,
    - spraying dusty road surfaces,
    - use of sealed tarpaulins on cars transporting materials that may cause dust during transport.
  - 2.8. Works in the vicinity of acoustically protected areas shall only be carried out between 6.00 a.m. and 8 p.m., any exceptions to this rule must be based solely on the technological specifics for the execution of the given type of works and must be related to ensuring the adequate quality of the works.
  - 2.9. Works to be carried out under the current nature supervision of the following experts: phytosociologist/botanist (protected natural habitats and protected species of plants), dendrologist (principles of care and protection of trees), entomologist (protected

species of invertebrates, macrozoobenthos), ichthyologist (fish and lampreys), herpetologist (amphibians and reptiles), ornithologist (birds), chiropterologist (bats), theriologist (mammals other than bats).

- 2.10. Works shall be carried out with the "from the land" technology. It is allowed to carry out works in the riverbed only if it is not possible to carry out works from the bank, in the case of e.g. existing infrastructure, buildings, trees, collisions with the sites of protected species and natural habitats and naturally valuable trees.
- 2.11. Limit the duration of conducting the works within the riverbeds and the inflow of suspended matter into the waters.
- 2.12. It is advised to carry out works in riverbeds in the period from 1 June to 30 September (except for the period of spawning and incubation of stream trout eggs and spawning of other fish and lampreys).
- 2.13. It is permitted to carry out works in the beds of watercourses in the period from 1 June to the end of February after prior consultation with the ichthyologist responsible for nature supervision. If the ichthyologist identifies spawning grounds, egg incubation sites, shelters for larvae or fry of fish and/or lampreys - in sections of watercourses where ongoing works are planned - follow the ichthyologist's instructions.
- 2.14. If the water temperature of 18° is exceeded, it is recommended to stop working until the temperature is lowered. The water temperature should be measured in the sections covered by the works (one measurement point per 500 m of river section), at least once every 3 days, and during the period of high air temperatures (over 25°) measurements should be taken daily.
- 2.15. Measure the suspended solids concentration in water on a daily basis. Measurement points should be located approx. 200 m below the site of the earthworks in the riverbed or on the bank slopes. Measurements should be taken at least 3 hours after the start of works on the given day. If a concentration of suspended solids above 40 mg/l is found, works must be stopped. Works can be restarted 3 hours after the suspended solids have fallen below 40 mg/l. If a concentration of suspended solids above 60 mg/l is found, works must be stopped by the end of the day. They can only be restarted after remeasurement and when the suspended solids concentration is below 40 mg/l. It is recommended to use automated suspended solids measuring equipment to obtain readings directly during or after the measurement.
- 2.16. If dead fish or such showing the signs of hypoxia (movement impairments swimming on the side) are observed in the river in the area of the works carried out, it is absolutely necessary to stop the works and immediately inform the expert ichthyologist about this fact.
- 2.17. In the sections intended for the construction of a temporary cofferdam in the

riverbed, immediately after fencing off the work zone (before the water is pumped out), fish and lampreys should be caught under the supervision of an ichthyologist (by means of a three-fold follow-up electrofishing carried out at 1-hour intervals). During electrofishing, special attention should be paid to catching larvae of European Brook Lamprey Lampetra planeri from the outwashes of silt and detritus inhabited by them and specimens of European Bullhead Cottus gobio and Alpine Bullhead Cottus poecilopus, which use hiding places under rocks and in the patches of dense water vegetation. If foreign species are found, listed in the Regulation of the Minister of the Environment of 9 September 2011 on the list of plants and animals of foreign species which, if released to the environment, may threaten native species or natural habitats, JoL of z 2011, No. 210, item 1260) - e.g. Topmouth Gudgeon - they must not be reintroduced into the river (they should be humanely killed). Collect also the larger invertebrates observed during catching. The caught organisms shall be transferred to another part of the bed, outside the area of works in the river's upstream region. The transport should take place as soon as possible (after each of the repeated electrofishing), in suitable containers with aerated water or foil sleeves with water and oxygen and at the lowest possible temperature. The same catching of fish and lampreys should be made immediately prior to the start of works on the sections where the removal of mud and gravel outwashes is foreseen.

- 2.18. Fish and lampreys should be caught (by means of a three-fold follow-up electrofishing method carried out at intervals of 1 hour) immediately before the start of works within the riverbed in the area up to 50 m above and below the planned works consisting in the reconstruction of weirs and barrages into ramps.
- 2.19. Back-up facilities of construction sites, roads and technological yards shall be located:
  - outside the areas covered with high greenery (trees, bushes) intended to be preserved in the construction design;
  - outside the area of identified natural habitats and outside the area of habitats and places of occurrence of protected species intended to be preserved in the construction design.
- 2.20. In zone "A" of the spa protection, felling of forest and park trees is forbidden with the exception of tending cuttings, and in zone "B" of the spa protection, felling of forest and park trees is forbidden with the exception of tending cuttings and felling specified in the forest management plan.
- 2.21. Trees and bushes felling in the period of 1 March to 31 August to be performed under the supervision of the ornithologist expert, who, directly before performing it, will inspect trees and bushes for presence of birds, and if such are found - will indicate

the permitted felling performance time. In the remaining period (from 1 September to the end of February), the above-mentioned supervision is not required.

- 2.22. Trees with a breast height of more than 40 cm should only be felled if they have been inspected in advance by ornithologist, entomologist and chiropterologist experts to ensure that they are not a habitat of protected species of animals birds, saprophytic beetles, bats. The inspection should be carried out no more than 7 days before the scheduled felling date. If protected animal species are found to be present, the date and conditions of felling should be agreed with the above experts. The felling should be carried out under the supervision of the above-mentioned experts.
- 2.23. The scope of felling should include only trees and bushes growing in the areas directly colliding with the project implementation. Do not cut down trees and bushes which do not threaten the construction of regulatory walls and occur outside the boundaries of facilities planned for construction and renovation and outside the areas necessary for occupation due to the performance and technology of works (e.g. necessary technological roads, exits from bank slopes to work sites).
- 2.24. Technological roads and yards, stopping and parking places for machinery and equipment and storage of earth masses (including humus) and building materials shall be located at a distance of not less than 2 m from the boundary of the crown projection of trees and bushes not intended for felling to protect areas under tree crowns.
- 2.25. The works conducted within the root systems of trees and bushes perform manually only, according to the following conditions: do not cut the coarse roots, excavations should be carried out not closer than 1.5-2 m from the trunk, minimise the time of exposure of roots to drying.

- 2.26. During the performance of works, ongoing supervision by an expert dendrologist must be ensured, who will determine the detailed handling and protection of trees not intended for felling, whose root system may be exposed to damage as a result of the works carried out.
- 2.27. Prior to commencement of any construction works, the stumps of the trees exposed to mechanical damage should by protected with wooden boards to a height of 2-3 m from the ground level (bottom of the boards is to be based on the substrate). Between the boards and the surface of the tree trunk, place the flexible material (e.g. thick straw mats), protecting the stump against abrasion by boards. Boards must be attached to the stump (e.g. with the bands of wire or steel tape), in a manner that does not damage the tree. During the period of works performance, the condition of the safety measures should be systematically checked and any damage should be removed. If valuable species of bryophytes and/or lichens are found on the trunk, the trees shall be protected in a way that does not endanger the protected species under the supervision of an appropriate nature supervision expert.
- 2.28. Boughs and branches not intended for felling exposed to damage in connection with the performance of works, should be cut off prophylactically or trimmed under the supervision of an expert-dendrologist, but if possible, those boughs which form shaded zones in the riverbed should be left.
- 2.29. Should any aerial parts of trees or bushes become damaged during the performance of works, appropriate care measures must be taken immediately under the supervision of an expert dendrologist.
- 2.30. The patches of natural habitats adjacent to work areas, but not intended to be removed (in accordance with the design documentation) should be visibly marked and effectively protected against damage under the supervision of an expert phytosociologist (before the commencement of works). This concerns in particular the patch of the habitat 6430 Mountain tall herb communities (*Adenostylion alliariae*) and riverside tall herb communities (*sepium*) inventoried in the immediate vicinity of the debris flow dam construction area.
- 2.31. Immediately before starting works within the existing retaining walls, footbridges and bridges, these facilities should be inspected for bird nests and bat shelters. In case of finding bird nests and bat shelters within the objects to be covered by the works, the works should be carried out according to the recommendations and under the current supervision of an expert ornithologist and/or chiropterologist.

- 2.32. If new amphibian migration sites are identified during the period of performing the works, such areas should be adequately protected to reduce the mortality of amphibians that may result from the works. Safeguards shall include the installation of herpetological hurdles, regular inspection of amphibian trapping containers to be installed along the hurdles and the movement of individuals of amphibians out of work sites into areas with suitable habitat conditions. The works shall be carried out under the supervision of an expert herpetologist.
- 2.33. Prior to the commencement of the works, an inventory of protected species of plants and aphids in the bed of the Bystrzyca Dusznicka shall be made at the sections where the works are planned. Next, plants/stones inhabited by the above-mentioned species should be moved from the areas at risk of destruction, where the presence of the above-mentioned species was found, under the supervision of expert botanists, and then deposited in other sections, not covered by the works, in places suitable for the habitat, upstream of the river above the works implementation site.
- 2.34. In the area where the works are being carried out, the identified specimens of invasive plant species should be removed during the works. The works should be carried out under the ongoing supervision of an expert phytosociologist who will indicate the most effective method of control for each plant species in a given location.
- 2.35. Prior to the commencement of the works on the watercourse, protect against damage by appropriate marking of the patches of the natural habitat 3260 Lowland and foothill rivers with white water-crowfoot communities *Ranunculion fluitantis* or, after obtaining the relevant permit, transferring the plants to a section of the watercourse which will not be covered by the works. The work should be performed under the supervision of a botanist phytosociologist.
- 2.36 Prior to the commencement of the works, the stones inhabited by the red algae shall be moved from the sites of occurrence of *Hildenbrandia rivularis* under the supervision of the botanist and deposited on other sections not covered by the works, in places with habitat conditions appropriate for the species. After the completion of the works, the stones inhabited by the red algae should be moved back to the previous occurrence locations of the species.
- 2.37 Prior to the commencement of the construction works, move the specimens of the following protected plant species to sites with appropriate habitat conditions:
  - a. River Water-Crowfoot Batrachium fluitans move a minimum of about 90% of the individuals of the species threatened with destruction in connection with the implementation of the project to places where the works have already been carried out or to places not covered by the works on the urban section in Polanica-Zdrój (above the current location of the front of works). The transfer of specimens

shall be carried out under the strict supervision of an expert phytosociologist and ichthyologist;

- Beard Aruncus sylvestris move all specimens of the species threatened with destruction in connection with the project. The transfer of specimens shall be carried out under the strict supervision of an expert phytosociologist;
- c. Common Snowdrop *Galanthus nivalis* move a minimum of about 80% of the individuals of the species threatened with destruction in connection with the implementation of the project. The transfer of specimens shall be carried out under the strict supervision of an expert phytosociologist.

# 3. Requirements concerning the environmental protection required to be considered in the documentation requirements to issue a decision, specified in article 72, clause 1 of the act on provision of information on the environment and its protection, public participation in environmental protection and environmental impact assessments:

- 3.1. In the renovated and new retaining walls, leave horizontal niches with squareshaped inlet dimensions of 11 x 11 cm and a depth of up to 25 cm, at a height of about 1-2 m above the average water level (depending on the wall height), not less than 0.3 m from the upper edge of the wall. Execute not less than 40 such niches over the entire section of works, and the niches should be distributed fairly evenly over the entire section of works. The works shall be carried out under the supervision of an ornithologist.
- 3.2. Technical solutions of the renovated barrage H-23 at km 15+498 of the Bystrzyca Dusznicka river should ensure free migration of fish and other aquatic organisms. The ramp design is to be agreed with an ichthyologist specialist experienced in designing fish passes.
- 3.3. To strengthen slopes and the bottom of the watercourse, use only natural materials as the main building block, i.e. fascine, fascine hurdle, rip-rap. Other materials should be used only to secure bridges and to make elements of the ramps. Use rip-rap of the stone of different sizes for bottom revetment.
- 3.4. Do not use gabion mattresses or baskets.
- 3.5. Do not remove boulders or stones from the watercourse bed. In the regulated, homogeneous parts of the riverbed, solutions should be introduced to increase the diversity of habitats, e.g. introduce boulders and large stones with a diameter of 30-50 cm in groups of 3-5 pcs, serving as shelters for fish.
- 3.6. The planned debris flow dam shall be made in an openwork form, so that it retains only heavy rock and tree rubble and allow the transport of fine rock and tree rubble

outside the periods of flood water flow and ensure free migration of aquatic organisms. The designs of the debris flow dam should be agreed with an expert phytosociologist and expert ichthyologist at the stage of design documentation development.

3.7. In the case of identified collisions of trees growing in the bankline with the planned works, consult an expert dendrologist and ichthyologist.

#### II. I state it necessary:

- 1. To perform natural compensation consisting of the following measures:
  - 1.1. If it is necessary to carry out works in the period from October to the end of February, which will result in losses of stream trout eggs in the spawning grounds below the site of the works performance, stocking with stream trout should be carried out annually during the works performance period in cooperation with an expert ichthyologist. For stocking, stocking material from the Nysa Kłodzka catchment area must be used and the size of the stocking density must be based on an assessment of the real losses in the species population and the amount of stocking material introduced by the fishing user. In addition, the expert ichthyologist, in consultation with the fishing user of the works, may indicate the need for additional stocking in the year following the completion of the works, in order to maintain the species abundance until the spawning conditions in the section covered by the works are restored.
  - 1.2. Due to the disturbance of fragments of the habitat of Edible Dormouse *Glis glis*, 10 nesting boxes should be hung for the species in the area of the planned flow debris dam under the supervision of and in the places selected by an expert theriologist.
  - 1.3. In the area of the town of Polanica-Zdrój and within 500 m from the administrative borders of the town under the supervision of an expert ornithologist hang 5 nesting boxes for White-Throated Dipper *Cinclus cinclus* and 5 nesting boxes for Grey Wagtail *Motacila cinerea* under bridges. If there are no suitable places for hanging the boxes under bridges, boxes should be installed on retaining walls, at a height of not less than 0.3 m from the upper edge of the wall.

Individual boxes should be hung from each other at a distance of not less than 100 m. The type of nesting boxes should be agreed with an expert ornithologist.

## 2. Monitoring the impact of the project on the environment:

- 2.1. Carry out the annual monitoring of the patches of the following natural habitats for the period of 10 years from the completion of the investment:
  - a. 91E0 Willow-poplar-alder-ash forests *Salicetum albae, Populetum albae, Alnenion glutinosoincanae*, large bittercress at the section at w km 16+300- 16+510;
  - b. 6430 Mountain tall herb communities *Adenostylion allliariae* and riverside tall herb communities *Convolvuletalia sepium* at the section at km 16+825-16+895;
  - c. 3260 Lowland and foothill rivers with Batrachion vegetation *Ranunculion fluitantis* at the section at km 15+700-16+600;
  - d. 3220 Pioneering vegetation on the stones of mountain streams at a distance of about 16+970-17+000 km.

Monitoring should be carried out in terms of the quality of the parameter "structure and functions of the habitat" (according to the methodology of the State Environmental Monitoring of the Chief Inspectorate of Environmental Protection) and the hydromorphological state of the Bystrzyca Dusznicka below and above the debris flow dam. If a negative impact of the dam on natural habitats and watercourse hydromorphology is found (by the hydromorphologist and phytosociologist), additional measures to eliminate the negative impact should be identified and implemented.

- 2.2. In the first and third year after the completion of the works, monitor the success of replanting of individuals of River Water-Crowfoot, Goat's Beard and Spring Snowflake.
- 2.3. In the first and third year after the completion of the works, the occurrence of fish and lampreys as well as macro-vertebrates should be monitored by means of fishing on 4 sites in the Bystrzyca Dusznicka.
  - 1) above Polanica-Zdrój in the Natura 2000 site PLH020010, approx. 800 m above the planned debris flow dam;
  - at the section covered by works above the renovated weir in the area of Hutnicza Street in Polanica-Zdrój (above the bridge);
  - at the section covered by the works between the Tranzytowa Street bridge and Krasińskiego Street in Polanica-Zdrój;
  - below the section covered by the works at the height of Nadrzeczna Street in Polanica-Zdrój.

- 2.4. In the first, third and fifth year after the completion of the works with the participation of an ichthyologist specialist carry out the monitoring of the functioning of the ramp in the context of migration of aquatic organisms. Monitoring studies should, among other things, take into consideration the catching of fish in the ramps, during spring and autumn migration.
- 2.5. For each stage (year) of the monitoring carried out, submit a written report to the issuing authority of this Decision containing photographic documentation and an assessment of the functioning of the ramp as a bi-directional fish migration facility, within one month of the completion of the given monitoring stage in the year concerned. If irregularities are found in the functioning of the ramp, plan and implement (after agreement with the above authority), at the investor's expense, appropriate measures aimed at eliminating or minimising the factors influencing these irregularities.
- 3. I do not impose an obligation to conduct an environmental impact assessment for the project and the proceedings in the scope of the cross-border impact on the environment under the proceedings on issuing the decision as specified in Article 72, clause 1 of the act on the provision of information on the environment and its protection, public participation in environmental protection and environmental impact assessments.
- 4. Appendix 1 Project description forms integral part of the decision.
- 5. The decision is made immediately enforceable.

#### Reasons

With the application of 10 March 2020 (date of receipt: 13 March 2020) the investor - the State Water Holding Polish Waters, acting through the intermediation of the State Water Holding Polish Waters the Regional Water Management Authority in Wrocław, on behalf of which the representative Ms Alicja Borowska acts, applied to the Regional Director for Environmental Protection in Wrocław for issuing a decision on environmental conditions for the above -mentioned project and for making it immediately enforceable.

The planned project is classified as a project likely to have significant impact on the environment, as specified in § 3(1)(67) of the regulation of the Council of Ministers of 10 September 2019 on the types of projects which can significantly affect the environment, for which an environmental impact report may be required (Journal of Laws of 2019, item 1839).

The investment will be implemented pursuant to the act of 8 July 2010 on special rules on preparing to investment implementation within the scope of flood control structures *(i.e. Journal of Laws of 2019, item 933, as amended).* 

Pursuant to Article 75(1)(1i) of the Act of 3 October 2008 on access to information on the environment and its protection, public participation in environmental protection and environmental impact assessment (i.e. Journal of Laws of 2020, item 283, as amended), hereinafter the EIA Act, the Regional Director for Environmental Protection in Wrocław is the competent body responsible for issuing a decision on environmental conditions for this project.

Data on the application for issuing a decision on environmental conditions are included in the publicly available list of data on documents containing information on the environment and its protection (http://www.ekoportal.gov.pl/) under the number: 86/2020.

Due to the fact that the number of parties to the proceedings exceeds 10, acting on the basis of Article 74(3) of *the EIA Act*, in conjunction with Article 49 of *the Act of 14 June 1960 on the Code of Administrative Procedure (i.e. Journal of Laws of 2020, item 256 as amended),* hereinafter referred to as CAP, the local authority notified the parties to the proceedings of all actions taken in the case by way of a notice published in the Public Information Bulletin on the website of the Regional Directorate for Environmental Protection in Wrocław.

The Regional Director for Environmental Protection in Wrocław, by the notice of 16 March 2020, ref.: WOOŚ.420.16.2020.AP, informed the parties to the proceedings, among others: on initiating the administrative procedure on issuing the decision on environmental conditions for the above-mentioned investment, the authority competent to issue the decision and the authorities competent to issue an opinion on the necessity to conduct an environmental impact assessment, the possibility to familiarise oneself with the case files and submission of comments and applications at each stage of the procedure, the place where the case files are kept and the possible form of submission of comments and applications, the authority competent to examine those comments and applications.

In the course of the proceedings, the Regional Director for Environmental Protection in Wrocław, in a letter of 16 March 2020, requested an opinion on the necessity to assess the impact of the planned project on the environment, and if such a need is identified, on the scope of the environmental impact report to:

- the Minister of Maritime Economy and Inland Navigation, in accordance with Article 64(1)(4) of the EIA Act,
- the State Poviat Sanitary Inspector in Kłodzko, in accordance with Article 64(1)(2) of the EIA Act.

The State Poviat Sanitary Inspector in Kłodzko in a decision of 03 April 2020. (date of receipt: 08 April 2020), ref.: NS-ZNS-72-15/AZ/20, expressed an opinion on the lack of the need to conduct an environmental impact assessment.

The Minister of Maritime Economy and Inland Navigation, in a letter dated 2 April 2020 (date of receipt: 7 April 2020), ref.: DOK.DOK2.9750.1.9.2020.AS, stated the substantive deficiencies in the submitted Project Information Sheet entitled: "Task 2B.2/2 Flood protection of the valleys of the Bystrzyca Dusznicka River and the Kamienny Potok River (passive protection) - Polanica-Zdrój Facility", prepared under the direction of Mr Wojciech Lewandowski, March 2020, hereinafter referred to as PIS, and requested the local authority to call the applicant to supplement the evidence. In view of the above, the local authority by letter of 08 April 2020, ref.: WOOŚ.420.16.2020.AP.7, called the investor's representative to supplement the PIS to the extent indicated by the Minister of Maritime Economy and Inland Navigation. With the letter of 16 April 2020 (date of receipt: 20 April 2020) and with the letter of 29 April 2020 (date of receipt: 30 April 2020), the representative submitted a supplement to the documentation.

In connection with supplementation of the documentation, the Regional Director for Environmental Protection in Wrocław, with the letter of 23 April 2020, ref.: WOOŚ.420.16.2020.AP.8 and with the letter of 4 May 2020, ref: WOOŚ.420.16.2020.AP.9, handed over the supplementation of the above-mentioned evidence to the Minister of Maritime Economy and Inland Navigation. With the letter of 18 May 2020, ref.: WOOŚ.420.16.2020.AP.10, the local authority also applied for a new opinion on the necessity to conduct the environmental impact assessment of the planned project, and in case of finding such a need, on the scope of the environmental impact report, or to maintain the above-mentioned position to the State Poviat Sanitary Inspector in Kłodzko.

The Minister of Maritime Economy and Inland Navigation, in his opinion of 21 May 2020 (date of receipt: 26 May 2020), ref.: DOK.DOK2.9759.1.9.2020.AS, stated that there is no need to prepare an environmental impact assessment of the above-mentioned project, indicating at the same time the necessity to include the following conditions and requirements in the decision on environmental conditions:

- 1) The works interfering with the riverbed and river banks should be carried out only within the designated sections where the project implementation is planned.
- 2) The removal of natural morphological elements, such as mid-bed and bank outwashes, is only acceptable if it is necessary from the point of view of technology and organisation of works.
- No materials should be recovered from the bottom of the riverbed for the purpose of the works.

- 4) The debris flow dam should be constructed outside the periods of flood water flow, in the openwork form in order to ensure the transport of debris in the riverbed and free migration of organisms.
- 5) When carrying earthworks and works within the bed, the surface run-off and sediment turbidity resulting in the inflow of suspended matter to waters must be kept to a minimum.
- 6) During the execution of the works in the riverbed, the flow of water and conditions for the migration of organisms must be ensured by means of an appropriate method of work.
- 7) The works planned for implementation should be carried out under the current supervision of an expert ichthyologist.
- 8) In order to ensure proper protection of water against pollution, the equipment used during construction should be fully technically operational and meet the requirements for its use.
- 9) If harmful substances penetrate into the aquatic environment, in particular as a result of equipment failure due to leakage of fuels, greases and oils, it is necessary to use appropriate sorbents for capturing these contaminants, and the used materials after neutralisation should be handed over to authorised recipients.
- 10) Operating backyards of the construction site must be located at a suitable location away from the riverbed so that any pollution from the site does not enter the soil and water.

After analysing the conditions of using the environment in the phase of implementation and operation of the project in question, imposed by the body competent to issue a legal water assessment, the Regional Director for Environmental Protection in Wrocław considered it justified to take into consideration in the conclusion of this decision the condition no. 3-7 and no. 9 (prescribed, successively, in the conditions of cl. I sec. 3.5, cl. I sec. 3.6, cl. I sec. 2.11, cl. I sec. 2.12, cl. I sec. 2.13 and cl. I sec. 2.2). At the same time, the local authority considered that the provisions of condition no. 1-2, no. 8 and no. 10 refer to the characteristic features of the investment and technology of carrying out the works, which were included in the justification of this decision and are an element of the characteristics of the project in question or were formulated in a too general way or result from separate legal regulations which the investor is obliged to comply with in the case of undertaking the execution of the investment in question.

The State Poviat Sanitary Inspector in Kłodzko in a letter of 09 June 2020 (date of receipt: 16 June 2020), ref.: NS-ZNS-72-34/A2/20, maintained the position expressed in its decision of 3 April 2020 (date of receipt: 08 April 2020), ref.: NS-ZNS-72-15/AZ/20, on the lack of the need to conduct an environmental impact assessment.

The Regional Director for Environmental Protection in Wrocław has analysed the collected documentation in the context of the provisions of Article 63 Clause 1 of the cited act. In consideration of the information included in the PIS, the local authority has found that the said investment project may have a significant environmental impact and it is therefore required to carry out an environmental impact assessment. In connection with the above, on 26 June 2020, the local authority issued the decision ref. WOOŚ.420.16.2020.AP.11 on the obligation to cond uct the environmental impact assessment and determined the scope of the environmental assessment report for the project. The parties had the right to lodge a complaint with the General Director for Environmental Protection through the authority that issued it within 7 days of service. The authority informed the parties to the proceedings of the above-mentioned fact by the notice of 29 June 2020, ref.: WOOŚ.420.16.2020.AP.12. Moreover, the data about the above-mentioned decision were included in the publicly available list of data about the documents containing information about the environment and its protection under the sheet number: 186/2020, of which the authority informed in the above-mentioned announcement.

No complaint has been filed against the above-mentioned decision of the Regional Director for Environmental Protection in Wrocław.

With the letter of 21 July 2020 (date of receipt: 22 July 2020), the investor's representative submitted the "The environmental impact report for the project entitled: "Task 2B.2/2 Flood protection of the valleys of the Bystrzyca Dusznicka River and the Kamienny Potok River (passive protection) - Polanica-Zdrój Facility" (hereinafter Report) prepared under the direction of Mr Wojciech Lewandowski [SWECO Consulting Sp. z o. o., Wrocław, August 2020. The data about the above-mentioned Report were included in the publicly available list of data about the documents containing information about the environment and its protection under the sheet number: 198/2020.

After analysing the Report and the submitted documentation, the Regional Director for Environmental Protection in Wrocław with the letter of 13 August 2020, ref.: WOOŚ.420.16.2020.AP.15, summoned the applicant to supplement its content. The documentation submitted in the case, including the Report, was finally supplemented on 07 September 2020.

In accordance with Article 79 of *removal of the EIA Act*, before this decision is issued, the local authority provided the opportunity for public participation in the proceedings as part of the environmental impact assessment. In accordance with Article 33 of the cited act, the Regional Director for Environmental Protection in Wrocław, with the announcement of 10 September 2017, ref.: WOOŚ.420.16.2020.AP.14, made information about the planned project publicly available, i.e. about:

- commencement of the proceedings;

- commencement of the environmental impact assessment for the project;
- the subject of the decision to be issued in the case;
- an authority competent to issue the decision and the authorities competent to issue the opinion;
- the possibility of familiarising oneself with the necessary case documentation and about the place in which it is made available for reading;
- possibility of submitting comments and applications;
- the method and place of submitting comments and applications, indicating at the same time the period of 30 days for their submission;
- an authority competent for consideration of comments and applications.

The notice was made public from 11 September 2020 to 13 October 2020 (inclusive). The documents were made available for viewing in the registered office of the Regional Directorate for Environmental Protection in Wrocław. Comments and applications regarding the planned project could be submitted in writing at the above-mentioned address, verbally for the record or in the electronic version without having to provide a safe electronic signature from 14 September 2020 until 13 October 2020 (inclusive). An authority competent for consideration of comments and applications was the Regional Director for Environmental Protection in Wrocław. The authority informed the society in the announcement that comments and applications filed after the established time limit will not be considered. No one has filed any obligations in the established time limit.

Pursuant to Article 3 Clause 1 point 11 of the *EIA Act*, information about the planned project was made publicly available by:

- announcing on the notice board in the office of the authority competent in the case, i.e. on the notice board of the Regional Directorate for Environmental Protection in Wrocław;
- publishing the information on the website of the Public Information Bulletin of Regional Director for Environmental Protection in Wrocław (rdos.wroclaw.gov.pl);
- announcing the information in the place of investment execution, i.e.: on the notice boards of the Town Office in Polanica-Zdrój and the Kłodzko Commune Office, as well as on the notice board located at Parkowa Street in Polanica-Zdrój, on the notice board located at the crossroads of Zdrojowa Street and ul. Warszawska in Polanica-Zdrój, on the notice board located at the crossroads of Żeromskiego Street and Prusa Street in Polanica-Zdrój, near the sewage treatment plant located on the Bystrzyca Dusznicka River, Szalejów Górny cadastral district,
- announcing the information about the planned project by means of a notice in the manner customary in the town competent for the subject matter of the proceedings by displaying the notice on a notice board of the Town Office of Polanica-Zdrój and by displaying the notice on a notice board and making it public in the BIP of Kłodzko Commune Office.

No comments or applications from the society were received by the local authority within the deadline set for the conducted public participation. No comments were received after the deadline for submitting comments and requests, either.

The Regional Director for Environmental Protection in Wrocław, fulfilling the statutory disposition of Article 10 § 1 of the CAP, informed the parties to the proceedings by way of a notice dated 14 September 2020, ref.: WOOŚ.420.16.2020.AP.17, about collecting the entire evidence and about the possibility to familiarise oneself with the case files and to comment on the collected evidence and materials and submitted claims before this decision is issued. None of the parties have commented on the evidence assembled in the case.

Pursuant to the statutory provisions of Article 59 (1)(2) and Article 3(1)(8) of *the EIA Act,* the local authority verified the Report, applied to the State Poviat Sanitary Inspector in Kłodzko and the Minister of Maritime Economy and Inland Navigation for the required statutory opinions and provided the opportunity for public participation in the proceedings.

The Regional Director for Environmental Protection in Wrocław has evaluated impacts and potential environmental hazards connected with project implementation and operation by analysing the collected evidence. The analyses presented in the Report have allowed to define conditions of land use in the implementation and operation phase, and environmental protection requirements which need to be considered in the documentation required for issuing the decision, mentioned in Article 72(1) of the EIA Act.

The planned project consists, inter alia, of: the construction, reconstruction and reinstatement of regulatory structures together with the facilities connected with them technically and functionally and in the construction of a flood protection embankment in the area of the sewage treatment plant. The investment is to cover a section of the Bystrzyca Dusznicka River at km 14+025 - 16+980.

As per Article 66 of the *EIA Act*, the investment scenarios were analysed in the Report submitted for evaluation. The report included:

- 1. the description of the scenario proposed by the applicant and a rational alternative scenario;
- 2. the description of the scenario most favourable for the environment;
- 3. definition of the expected environmental impact of the analysed scenarios;
- 4. a justification of the scenario proposed by the applicant together with an outline of its environmental impact.

Two investment scenarios and one scenario without the investment were analysed.

The scenario 3, the so-called "zero" scenario, assumed that no works related to the reinstatement, construction and renovation of regulatory structures would be performed. In the opinion of the authors of the Report, this would result in the fact that the hitherto floo ded areas of the commune would still remain in the hazard zone and the fragmentation of the riverbed for aquatic organisms would be maintained. In the applicant's opinion, failure to implement the project

would therefore have a significantly negative impact and this scenario was therefore rejected.

The physical scope of the investment scenarios considered in both cases included modernisation of the existing regulatory structures, construction of an embankment in the area of the sewage treatment plant and construction of the debris flow dam.

The scope of works in scenario 1 comprised, inter alia: construction of a flood protection embankment in the area of the sewage treatment plant, reprofiling the existing regulatory walls and reinforced slopes, by cleaning and supplementing the joints, filling in the losses of stone, "addition of the wall" - construction of a new wall, leaving the old one as a so-called permanent shuttering, sectional reinforcement of the existing walls by executing a band (set-off), closing the sewage outlet, cutting down the trees and bushes colliding with the scope of works, local removal of deposits from the riverbed, conversion of the weir H-23 to a ramp; construction of the debris flow dam at km approx. 16+815. The total length of the section covered by the works only on the right bank of the Bystrzyca Dusznicka would be about 348 m. The total length of the section covered by the works only on the left bank of the Bystrzyca Dusznicka would be about 290 m. The total length of the section where the works will be carried out in parallel on both banks would be about 2 715 m. The length of the flood protection embankment by the sewage treatment plant would be about 200 m.

The scope of renovation and reconstruction works in scenario 2 (alternative variant) is the same as in scenario 1. The location and construction of the debris flow dam above Polanica-Zdrój was changed. The dam in this scenario was planned at about km 17+420, where there is a river arch and space is available for the accumulation of rock rubble carried by the river during the flood.

When analysing the impact on the acoustic climate, monuments, material goods or issues related to extraordinary environmental threats, it can be concluded that both scenarios are identical in this respect. The impact of the two scenarios on the abiotic part is similar, but they differ in terms of impact in the biotic part. Analysing the possible impacts on the Natura 2000 area Piekielna Valley near Polanica PLH020010, it was found that there is a threat of significant negative impacts on natural habitats which are objects of protection (habitat code: 3220, 3260, 91E0) if scenario 2 is implemented. Taking into account the risks from the location of the dam, the scenario 2 is considered to be the most environmentally beneficial option. It is also a scenario proposed for implementation by the investor. The Regional Director for Environment Protection in Wrocław, after having analysed the solutions proposed above and based on scenario validation, accepted the investor's request, i.e. to implement the project according to scenario proposed by the applicant, which at the same time is the scenario most beneficial for the environment.

The protection of the soil and water environment is linked to the proper organisation of the construction site and technical roads at the stage of construction.

The land planned for storage of materials should be secured with non-permeable material to protect the surface layer of soil and the further part of soils and ground water (by infiltration). In

order to protect the soil and water environment, all repairs, maintenance procedures and other activities connected with building equipment operation should be conducted in the intended places such as repair workshops, service outlets, the civil works contractor's permanent base. The construction site and its operating backyard will be equipped with waste containers and sanitary facilities. Periodical and small impacts on surface water may exist at the implementation stage of the planned project. Earthworks related to the modernisation and restoration of regulatory structures will cause a periodic change of the existing soil structure (humus removal) and periodic rainwater runoff from the area (uncovered soil) to the river. As a consequence, water may be drained periodically polluted with an organic suspension, but this will not pose a considerable threat to the receivers of such water, because the suspension will undergo sedimentation. In determining the conditions of this decision, the authority considered the results presented in the Report of the analysis of assessment of the project's impact on environmental objectives of part of the waters within the boundaries of which the project is implemented and on which it has impact.

The planned project is located within the boundaries of planning surface water bodies surface water bodies JCWP Bystrzyca Dusznicka from Kamienny Potok to Wielisławka with the code PLRW6000512188. In accordance with the Plan of water management on the Odra River basin area, adopted by the regulation of the Council of Ministers of 18 October 2016 (Journal of Laws of 2016, item 1967), hereinafter referred to as PGW, JCWP Bystrzyca Dusznicka from Kamienny Potok to Wielisławka was assessed as a strongly transformed body of water, with poor status. It is at risk of not achieving the environmental objectives. An environmental objective for this JCWP is to obtain the good ecological potential and good chemical status. The abovementioned JCWP has a time derogation from the possibility to achieve the environmental objectives until 2021 due to lack of technical capacity and disproportionate costs. The abovementioned JCWP is intended for water intake for the purpose of supplying people with water for consumption. Part of waters is an area designated for the protection of habitats or species referred to in the provisions of the Nature protection act of 16 April 2004 (i.e. Journal of Laws of 2020, item 55, as amended), where the maintenance or improvement of the status of water is an important factor in their protection. The investment is located partly within the boundaries of the area of Community Importance of the Piekielna Valley near Polanica PLH020010 and partly in the immediate vicinity of the Protected Landscape Area "Bystrzyckie and Orlickie Mountains". The project is located in the limits of ecological corridors GKZ-8B Bystrzyckie Mountains and Stołowe Mountains (GKZ-8A).

The area under consideration is situated within the groundwater body JCWPd No. 125, code PLGW6000125. According to PGW, its quantity and chemical condition is considered as good. JCWPd is not threated by the failure to achieve the environmental objectives set for it. The designated JCWPd is designated as a body of water intended for water intake for securing the drinking water supply for human consumption. No time derogations and no less stringent objectives have been set for this JCWPd.

The planned project will be implemented in the area of the Odra river basin. The aim of the project is to improve flood protection of the surrounding areas, in particular the built-up areas in Polanica-Zdrój.

Due to the direct proximity of infrastructure development, some works will be carried out from the riverbed. In order to limit the inflow of suspended matter to waters, minimising measures are provided for, i.e. draining water from drains to specially prepared tanks/basins located on the bank, from which water will be drained back to the river after sedimentation of the suspended matter by means of an overflow, application of double filter mats at the bottom of the fenced-out fragment of the riverbed. The analyses presented show that macrophytes and phytobenthos and hydromorphological elements may be the most threatened elements of the assessment of ecological potential of surface waters. For the planned rehabilitation and reconstruction works, which do not interfere with the shape of the bed and the bank zone, these effects are not permanent. Mid-bed and bank outwashes created in the accumulation processes, being natural hydromorphological elements, may be removed from the riverbed as a consequence of the works carried out.

The hydromorphological elements will gradually reproduce in the bed as a result of erosiveaccumulated water activity. In connection with the planned works, a cofferdam in the riverbed is planned to be made. The cofferdam will separate the active riverbed from the works zone, from where residual water will be pumped out and aquatic organisms caught under specialist supervision will be transferred to another part of the bed not covered by the works (including fish and lampreys). As part of the conducted works, as well as during the exploitation stage of the project, a constant flow of water in the Bystrzyca Dusznicka riverbed will be ensured, which will ensure the possibility of uninterrupted migration of fish. The impact on the biological elements will cease when the works are completed. Permanent changes in the habitats of aquatic flora and fauna may be related to the construction of a debris flow dam. Part of habitats will be liquidated as part of the bed will be occupied by a hydrotechnical structure and the accompanying revetments of the bottom and slopes. The length of the section where the works will be performed is less than 0.1% of the length of JCWP. Hence, this action will not permanently affect the deterioration of its condition. In order to minimise the above-mentioned effects, in the conclusion of this decision, the local authority has formulated a number of conditions necessary to be undertaken at the stage of investment implementation and operation.

Hazardous wastes containing asbestos and mercury will be produced at the project implementation stage, coming from insulation and construction materials resulting from demolition works, wastes containing residues of hazardous substances and wastes other than hazardous and neutral wastes, including: concrete waste and concrete rubble from demolitions and repairs, wastes from renovation and reconstruction of roads, wastes resulting from the operation of machines and equipment, as well as municipal wastes. The waste generated during the implementation and operation of the project will be selectively collected in designated, properly

secured places, in tight containers adapted to the consistency and properties of the stored wastes, and then transferred to authorised recipients for further management.

The environmental impact at the investment implementation stage will be limited to the stage of carrying out the works, which is of a discontinuous nature and concentrated along the place of investment implementation. Periodic atmospheric pollution will occur during the implementation works, mainly related to the operation of equipment and means of transport driven by internal combustion engines. The investment will require the use of heavy construction equipment. These machines will generate noise and emissions to atmospheric air, but these impacts will only occur during the investment implementation. In particular, an increase in the emission of gaseous pollutants (mainly NOx) contained in the exhaust fumes of machines and vehicles working on the site should be expected in the construction phase, as well as an increase in the emission of dusts associated with the transport and use of powdery and dusty materials on the site and more intensive vehicle traffic in the project area. Vehicles will be parked on hardened surface. Earthworks will uncover the land surface in the part not protected with plants. Weather erosion may occur on the uncovered land during strong wind breezes (typical especially for autumn and the end of winter) and air dusting may increase locally. The noise nuisance in the construction phase will be generated by working machines and traffic of vehicles. The quantified nuisances will be temporary and transient in nature, however. The impact on noise will be limited to the stage of works performance and, in the meanwhile, certain transient related nuisances may occur, they will be short-term according to the advancing front of works.

According to the submitted documentation, there are no areas with a landscape of historical, cultural or archaeological significance in the investment area. At the stage of construction works it is possible to reduce the visual quality of the landscape (temporary occupation of land for construction sites, storage yards and others). The spatial range of the impact on the landscape will relate to the area of the project implementation and the area from which particular works and the reconstructed facility will be visible.

For the landscape, the project implementation period is associated with changes in the structure of the local landscape. The direct negative perception in the visual sense may be the presence and movement of heavy vehicles and the presence of portable building structures. However, this impact is limited to the stage of investment implementation and after the completion of the works the area will be cleaned up. During the implementation of the investment it is also possible that the visual quality of the landscape will diminish (temporary occupation of land for construction sites, storage yards and others). The spatial range of the impact on the landscape will relate to the area of the project implementation and the area from which particular works will be visible. It should be emphasised here, however, that the project consists in the construction, reconstruction and renovation of the existing regulatory structures, and therefore at the operation stage it will not contribute to changes in the structure of the local landscape. In addition, the flood protection embankment planned to be erected will be located near the sewage treatment plant,

so it will not affect the perception of the landscape significantly.

Due to its nature and scale of implementation, the analysed project will not have a significant impact on the climate on a regional and local scale. Its implementation does not involve the generation of significant amounts of pollution or a significant change in spatial conditions that may result in impacts on the climate. The impact on climate change stems from factors such as: greenhouse gas emissions, direct and indirect emissions related to energy demand, the effectiveness of the solutions applied. The planned project is not a source of large-scale greenhouse gas emissions. During the construction phase, combustion of fuels in cars and machines will result in the emission of gases classified as greenhouse gases. During the investment implementation, there may be a slight energy demand associated with e.g. the functioning of the construction facilities. The scope of works and changes in the existing state is only local and short-term. There will be no significant changes in the scale of green areas that shape the local climate, such as: the surface of the water table, water, or the way the river banks are managed.

No need for specific measures to minimise the climate impact is expected. The project, during the operation phase, due to its static rather than dynamic character, does not cause any emissions of gases, dusts, heat, other types of energy or harmful substances. There will be no impact of the investment on: temperature fluctuations, light radiation, atmospheric pressure, air movement or humidity. No climate change will occur in connection with the implementation, exploitation and possible liquidation of the project. The project has been designed in a way guaranteeing resistance be the negative phenomena accompanying climate change. Its implementation is necessary to protect against the effects of the surges. The planned project will be designed on the basis of existing legal regulations and will therefore be implemented in a way that considers extreme environmental phenomena related to climate change. It should also be stressed that the investment itself is one of the elements increasing the safety of the inhabitants against the effects of extreme floods. Remedial measures to eliminate the impact of the project on climate change will be the proper organisation of works, the use of low-emission devices and taking measures to minimise the negative impact of the project on the environment at the stage of investment implementation.

The investment, in terms of the type, category and quantity of hazardous substances, is not classified as a facility likely to be a source of serious failure as mentioned in Article 248 of the Act of 27 April 2001 *Environmental Protection Law* (Journal of Law of 2020, item 1219). There are no grounds, either, due to the investment type, to assess the necessity of establishing a limited use area as mentioned in Article 135 Clause 1 of the Environmental Protection Act.

The Bystrzyca Dusznicka river basin is a border basin (border with the Czech Republic). This basin is separated from the state border by the peaks of the Orlickie Mountains. Due to the lack of impacts, no transboundary environmental impact occurs in the upper parts of the watercourse, as the runoff of water takes place inside the country, which eliminates the possibility of transboundary environmental impact.

Based on the submitted documentation which considers the assessment of impacts and potential environmental hazards associated with the implementation and operation of the investment, a number of necessary actions was indicated in order to secure and minimise the potential negative impacts; the body has decided to impose conditions on project implementation, which are listed in the conclusion of the decision. The conditions determined in the conclusion of the decision were imposed also to limit the risk of the impact of the planned investment on the natural environment, and on the objectives of nature and landscape protection.

The impact of the planned project on the soil and water environment was analysed in the course of the proceedings conducted. The condition of clause I, section 2.1 and 2.2 will provide protection against the leakage of hazardous substances from machinery and vehicles on the site and will ensure protection of the water and groundwater environment against oil pollution during emergency situations involving the spillage of hazardous substances and immediate removal of the resulting pollution.

Waste management will be carried out within the area of the investment in question in accordance with the applicable law. However, in order to ensure this, the conclusion of the present decision imposes the conditions in clause I, section 2.3 to 2.5.

The conditions of clause I, section 2.7 - 2.8 were imposed in order to limit nuisance in the scope of the project's impact on the sanitary condition of ambient air and acoustic condition of protected areas.

The obligation imposed in clause I, section 2.9 to perform nature supervision is to guarantee that performance conditions of works are met, which require expertise, and the presence of specialists is to guarantee appropriate response in sudden cases, not anticipated at the investment planning stage, which will minimise the risk of negative impact on the natural elements existing within the region or in direct neighbourhood of the conducted works.

The conditions of clause I, section 2.6 and clause I section 2.11 to 2.18 are primarily intended to protect ichthyofauna. During the performance of works it is necessary to ensure continuity of water flow in the watercourse and proper living conditions of ichthyofauna. The control of suspended solids concentration in the water and the introduced breaks in the works are to minimise the negative impacts associated with the implementation stage - this is to prevent changes in the physicochemical conditions of the water and the habitat conditions for the river fauna. During the works in the bed it is necessary to carry out ichthyological supervision, as this will prevent the negative impacts resulting from the lack of specialist natural knowledge of persons performing the construction works. The task of the ichthyologist will be to indicate the proper way of carrying out the works and then to control the correctness of their execution, as well as to observe the behaviour of the ichthyofauna and ensure the implementation of adequate actions in situations threatening it. Moreover, it is necessary to protect the watercourse against pollution at the stage of investment implementation. The deadline defined in clause I, section 2.12 recommended for carrying out the works is aimed in particular at the protection of larvae of European Brook Lamprey Lampetra planeri, which is protected under the Regulation of 16 December 2016 on the protection of animal species (Journal of Laws of 2016, item 2183, as amended) and Stream Trout Salmo trutta during the breeding period.

The condition of clause I section 2.19 aims at minimising damage within green areas (especially trees and bushes) and within natural habitats.

The condition of clause I, section 2.20 results from the provisions of Article 38a(1)(10) of the Act of 28 July 2005 on health resort treatment, health resorts and areas of health resort protection and on health resort communes (i.e. Journal of Laws of 2020), item 1662), *which stipulates that in zone "A" of health resort protection it is forbidden to cut down forest and park trees, with the exception of nursing cuts and the provisions of Article 38a(2)(2) of this act, which provides that in zone "B" of health resort protection it is forbidden to cut down forest and park trees, with the exception of nursing cuts and the provisions of Article 38a(2)(2) of this act, which provides that in zone "B" of health resort protection it is forbidden to cut down forest and park trees, with the exception of nursing cuts and felling specified in the forest management plan.* 

The conditions of clause I, section 2.21 and 2.22 are intended to protect animal species associated with trees and bushes, insects, birds and bats from the destruction of their breeding, developmental forms and the killing of adults or juveniles during the breeding season or developmental cycle.

The condition of clause I, section 2.23 is aimed at limiting the scope of cutting down trees and bushes during the investment implementation. The areas directly conflicting with the investment execution include places planned for the construction and renovation of facilities (e.g. regulatory walls, bank slope revetments, debris flow dams) as well as technological roads, yards and technological facilities, which are directly related and necessary for the execution of the investment.

The conditions of clause I, section 2.24 to 2.29 are intended to protect tall greenery, exposed to mechanical damage during the works, in particular by minimising the risk of damage to tree branches, trunks and roots and preventing excessive soil compaction in the immediate vicinity of the trees and reducing soil aeration within the root systems during the works.

The conditions of clause I, section 2.30 aims at minimising the negative impact of the project on the natural habitats, including the natural habitat 6430 Mountain tall herb communities (*Adenostylion alliariae*) and riverside tall herb communities (*Convolvuletalia sepium*) - listed in the *Regulation of the Minister of the Environment of 13 April 2010 on natural habitats and species of Community interest and the criteria for the selection of areas eligible for recognition or designation as Natura 2000 sites (Journal of Laws of 2014, item 1713), located within investment.* 

The condition of clause I section 2.31 is intended to protect birds and bats that may use cracks in walls and bridges as nesting places and shelters.

The condition of clause I, section 2.32 is intended to protect amphibians during the breeding period and migration to and from breeding sites.

The condition of clause I, section 2.33 was imposed in order to prevent the destruction of sites of protected plant and aphid species listed in the *Regulation of the Minister of the Environment of 9 October 2014 on the protection of plant species (Journal of Laws of 2014, item 1409),* occurring within the area of works covering the Bystrzyca Dusznicka riverbed.

The condition of clause I section 2.23 was imposed to eliminate and prevent the spreading of foreign species of plants along the river valley, which are often expansive species, eliminating native species. This condition is especially important due to the fact that works are to be carried out in the riverbed and its direct neighbourhood, which may greatly facilitate the spreading of expansive species of plants.

The condition of clause I section 2.35 was imposed to prevent the destruction of the habitat patches of lowland and foothill rivers with white water-crowfoot communities *Ranunculion fluitantis*. In the local authority's judgement, it is necessary to protect as many plants forming the habitat as possible (not only species under legal protection), because this habitat is of key importance for the functioning of the Bystrzyca Dusznicka ecosystem - it constitutes the first link in the food chain and is the habitat of invertebrates which provide food for fry and fish.

The conditions of clause I, section 2.36 and 2.37 were imposed in order to protect the species of plants listed in the mentioned Regulation on the protection of plant species.

The condition of clause I section 3.1 aims at improving the habitat conditions for birds (e.g.

*Motacilla sp.* Wagtail species protected under *the Animal Species Protection Regulation*) in sections of a watercourse enclosed by stone walls. These niches can be used as breeding and shelter sites.

The condition of clause I, section 3.2 was imposed to improve the conditions for migration of aquatic organisms, in particular fish in the section of the Bystrzyca Dusznicka covered by this project.

The conditions of clause I section 3.3 and 3.4 were imposed to limit the introduction of non-natural materials into the watercourse which could adversely affect the water chemistry and habitat conditions. In addition, the use of mesh and stone mattresses and gabion baskets is not allowed, as they can be dangerous traps for animals. The use of stones of varying sizes is intended to increase the roughness of the bottom and create better habitat conditions for ichthyophauna.

The condition of clause I, section 3.5 was imposed to increase the diversity of habitat conditions within the bed area and to initiate fluvial and biological processes through the presence of boulders and stones in the watercourse bottom.

The condition of clause I, section 3.6 was imposed in order to ensure the movement of rubble in the river and to maintain the possibility of hydromorphological processes that have hitherto occurred.

The condition of clause I, section 3.7 was imposed to limit felling to the growth conditions of the water table insolation and to create thermal barriers, which can adversely affect aquatic organisms.

The performance of monitoring tests referred to in clause II, section 2.1 - 2.3 will allow to obtain information on the impact of investment on European Brook Lamprey at the operation stage, on natural habitats (in particular on the habitats 3260 Lowland and foothill rivers with *Ranunculion fluitantis* communities and 91E0 Willow-poplar-alder-ash forests *Salicetum albae, Populetum albae, Alnenion glutinosoincanae,* large bittercress, 6430 Mountain tall herb communities *Adenostylion alliariae* and riverside tall herb communities *Convolvuletalia sepium* and 3220 Pioneer vegetation on the stones of mountain streams) and ecological elements of the stream. The results of the monitoring studies are also to facilitate forecasting of the impacts that may occur in the case of executing similar works in other sections of the Bystrzyca Dusznicka River and will be the basis for the possible implementation of additional measures to eliminate the negative impact of the project on the environment.

The conditions of clause II, section 2.4 and 2.5 set the requirement to conduct - by an appropriate specialist - the monitoring of the functioning of ramps as fish passes and that reports on its implementation be submitted to the local authority. This will allow the local authority to obtain information on the effectiveness of the applied solutions - and will confirm the participation of the specialist during monitoring studies.

Due to the nature of the project, it is not possible to completely minimise the negative

impacts on natural elements occurring within and in the immediate vicinity of the project in question. The provisions of conditions of clause II, section 1.1 are intended to compensate for losses due to the destruction of stream trout eggs in spawning grounds.

The provisions of conditions of clause II, section 1.2 are intended to compensate for losses due to the destruction of part of habitats of Edible Dormouse *Glis glis* under species protection under the regulation on protection of animal species.

The provisions of the condition II of clause 1.3 are intended to compensate for the possibility of destruction of nesting sites of White-Throated Dipper Cinclus and Grey Wagtail which are protected as species under the above-mentioned Regulation on the *protection of animal species*.

The imposed compensating measures are not the compensation in the meaning of Article 34 and 35 of the above-mentioned nature protection act but result from the provisions of Article 75(3) of the act Environmental Protection Law, and their application will contribute to faster recovery of the population of the above-mentioned species of animals.

While implementing the conditions specified above, the implementation of the investment will not have a significant negative impact on the natural elements, including the Natura 2000 sites. These measures are not contrary to the provisions of *the Order of the 25 Regional Director for Environmental Protection in Wrocław of 29 November 2013 on establishing a plan of protection tasks for the Natura 2000 area Piekielna Valley near Polanica* PLH020010 (*JoL of Low. Sil. Province of 2014, item 6243*). The project should not have a negative impact on the ecological corridors: Stołowe Mountains GKZ-8A and Bystrzyckie Mountains GKZ-8B, the ecological corridor of the Bystrzyca Dusznicka river valley, as well as on biological diversity, understood as intraspecies variability (gene diversity), inter-species variability (species diversity) and super-species variability (diversity of ecosystems and landscapes).

In the event of a collision (which cannot be eliminated during works) with sites of plants, animals or fungi of the species protected pursuant to resolutions of the Minister of the Environment on protection of plant species, on protection of animal species and of 16 October 2014 on protection of fungus species (Journal of Laws, item 1408), in relation to which bans apply as defined in the aforementioned resolutions, prior to commencing the works the investor should obtain a separate permit from the appropriate body for actions prohibited in relation to these species, in accordance with Article 56 of the aforementioned environmental protection act, and once that permit is obtained - the works are to be conducted taking into consideration the conditions stemming from the permit.

In the authority's judgement, the data on the project, possessed at the stage of issuing the decision on environmental conditions, allow for an exhaustive assessment of the project's environmental impact and there is no need to conduct the assessment of the impact of the project on the environment as part of the procedure for issuing the decision referred to in Art. 72(1) of the *EIA Act.* The data obtained on the project were sufficient to determine the conditions of project

implementation.

Together with the application for issuing a decision on environmental conditions, the applicant requested that the decision be immediately enforceable. Pursuant to the statutory provisions of Article 108 § 1 of the CAP, it is only possible to make a decision immediately enforceable if it is necessary for the goods and values set out in this provision, namely "for the protection of human health or life, or to protect a national holding from heavy losses, or for any other public interest or a party as exceptionally important interest". The enforcement of the decision will be "indispensable" in a situation where "it is not possible to act at a given time and in an existing situation without exercising the rights or obligations decided upon in the decision, because a delay in their enforcement threatens the protected goods. This threat must be real and not just theoretically probable" (J. Borkowski [in:] B. Adamiak, J. Borkowski, Code of Administrative Procedure. Commentary, 8th Issue. C.H. Beck Publishing House, p. 524).

The application was justified by an overriding reason relating to the public interest. The aim of the task is to improve the flood protection system in the town of Polanica-Zdrój, i.e. to protect human health and life and to protect a national holding from severe losses (flooding). Floods in the mountain basins in the Kłodzko area are characterised by a very violent course. The time of the formation of the flood wave from the moment of the occurrence of intense or prolonged rainfall is very short. The rapid runoff of rainwater from the steep mountain slopes and then their runoff through streams and mountain rivers is associated with the occurrence of high velocities, which results in the formation of a large corridor-forming force. This force lifts and transports huge amounts of rock rubble, washes away and captures trees, causes local landslides, devastates the bed structures, especially in the form of bank walls and bottom sills, washes away bridge abutments and, in some cases, piles up water as a result of the resulting blockage on the bridge structures, which in turn contributes to the breaking of the bridge or its surrounding. The Project implementation area in the Bystrzyca Dusznicka valley is characterised by compact residential, commercial, transport and health resort-related areas and is located mainly along rivers. The river network of the Bystrzyca Dusznicka along with its tributaries forms a fan-shaped system. Such an unfavourable catchment system causes the water level to rise very quickly due to the inflow of water from mountain areas. The effects of such floods can be observed in Kłodzko Land not only in case of floods with a probability of exceeding of p=1% (once every 100 years). Their occurrence is accompanied by flooding of vast areas in the entire width of the river valley. In the analysed area, high water velocities and significant forces destroying the bed structures appear more often in the form of a surge close to the flows with the probability of exceeding of p=10% (once every 10 years). For the proper protection of the Kłodzko Land in the Flood Risk Management Plan for the Odra River Basin (Regulation of the Council of Ministers of 18 October 2016 on the adoption of the Flood Risk Management Plan for the Odra river basin (Journal of Laws of 2016, item 1938)), hereinafter referred to as FRMP, technical activities were prescribed, including the construction of dry reservoirs on the tributaries of the Nysa Kłodzka River, as well as the performance of

activities supporting flood protection of the Kłodzko Land, i.e. undertaking works within the watercourses, such as flood capacity enhancement, regulatory and maintenance works. The following is planned, in particular: 2A.1/1 construction of the "Boboszów" dry flood control reservoir on Nysa Kłodzka River, 2A.1/2 construction of the "Roztoki Bystrzyckie" dry flood control reservoir on the Goworówka stream, 2A.2/1 construction of a dry flood protection reservoir on the Duna stream, 2A.2/2 Construction of the "Szalejów Górny" dry flood control reservoir on the Bystrzyca Dusznicka River, 2B.1/1 Flood Protection of the Nysa Kłodzka River (facilities: Międzylesie, Bystrzyca Kłodzka and Kłodzko), 2B.2/2 flood protection of the Bystrzyca Dusznicka River and the Kamienny Potok River (facilities: Duszniki-Zdrój, Polanica-Zdrój and Szczytna) and 2B.2/1 Flood protection of the valleys of the Biała Lądecka River and the Morawka River (facilities: Lądek -Zdrój and Stronie Ślaskie). Therefore, there is no doubt that the planned undertakings are part of the task covering supra-local flood protection of the Kłodzko Land, which is also confirmed in the above-mentioned document. On the basis of the above, the Regional Director for Environmental Protection in Wrocław has decided that it is necessary to make this decision immediately enforceable and has approved the investor's application. Hence, in accordance with clause IV, this Decision shall be immediately enforceable.

During the proceedings on issuing the decision in question, the environmental protection body allowed all evidence which might have contributed to a correct determination of the case, and the determination was made on the basis of the entire evidence collected during the proceedings, by which the body met the requirements of Article 75 § 1 and Article 80 of the *Code of Administrative Procedure*.

In view of the foregoing, it has been decided as in the conclusion of the Decision.

#### Notice

The parties are entitled to appeal against this decision to the General Director for Environmental Protection through the Regional Director for Environmental Protection in Wrocław within 14 days of its receipt.

Pursuant to Article 127a of the Code of Administrative Procedure, a party may, within the time limit for lodging an appeal, waive the right to lodge an appeal against this body which issued the decision. The decision becomes final and binding on the day of delivering a statement waiving the right to appeal by the last of the parties to the proceedings to the public administration body.

Regional Director for Environmental Protection in Wrocław Wojciech Rejman

/signed with qualified electronic signature

#### Recipients:

- State Water Holding Polish Waters

   ul. Grzybowska 80/82
   00-844 Warsaw
   through:
   State Water Holding Polish Waters
   Regional Water Management Authority in Wrocław
   ul. C. K. Norwida 34
   50-950 Wrocław
   represented by:
   Alicja Borowska
   ul. C. K. Norwida 34
   50-950 Wrocław
- 2. Parties to the proceedings pursuant to Article 49 of the CAP

<u>Cc</u>:

- 1. State Poviat Sanitary Inspector in Kłodzko, 16 Stefana Okrzei Street, 57-300 Kłodzko dispatch by ePUAP
- 2. Minister of Climate and Environment, 52/54 Wawelska Street, 00-922 Warsaw dispatch by ePUAP

I confirm that the copy is compatible with the electronic document:	
Document identifier	97951.320966.353188
Name of the document	18 - decision Polanica-Zdrój facility.pdf
Document title	18 - decision Polanica-Zdrój facility
Document reference	WOOŚ.420.16.2020
Document date	30.10.20 09:44:44
Document abbreviation	1D9ABA5C60DFD3749DA5BA6707FCBE2685
	BB2A91
Version of document	1.1
Signature date	30.10.20
	Wojciech Rejman; RDOŚ in Wrocław REGIONAL
Signed by	DIRECTOR
Type of certificate	Qualified certificate for electronic signature card
	EZD 3.98.1.1.7409
Print date:	30.10.20 10:05:36
Author of printout:	PAWLAK ANASTAZJA



# REGIONAL DIRECTOR FOR Environmental Protection in Wrocław

AL. JANA MATEJKI 6 50-333 WROCŁAW

Appendix to the decision of the Regional Director for Environmental Protection in Wrocław of 30 October 2020, ref. No.: WOOŚ.420.16.2020.AP.18, for the project titled: "Task 2B.2/2 Flood protection of the valleys of the Bystrzyca Dusznicka River and the Kamienny Potok River (passive protection) - Polanica-Zdrój Facility".

### **PROJECT CHARACTERISTICS**

The investment will be located within the boundaries of the Lower Silesia Province, in the Kłodzko Poviat, in the commune of Polanica-Zdrój, in the town of Polanica-Zdrój and partially in the commune of Kłodzko, within the Szalejów Górny registry area (a flood bank protecting the sewage treatment plant below Polanica-Zdrój in the Bystrzyca Dusznicka Valley).

The planned project will be carried out within the Bystrzyca Dusznicka riverbed and in the immediate vicinity of watercourse bed at the section from approx. 14+025 km to approx. 16+980.

The following works are planned to be executed under the project:

- construction of a flood protection embankment in the area of the sewage treatment plant;
- reprofiling of the existing regulatory walls and slope revetments;
- "adding the wall" construction of a new wall, leaving the old one as a so-called permanent shuttering;
- sectional reinforcement of the existing walls by executing a band (set-off);
- cutting down trees and bushes;
- local removal of deposits from the riverbed;
- closing the sewage outlet;
- conversion of the weir H-23 to a ramp;
- construction of the debris flow dam at km approx. 16+815.

The total length of the section covered by the works only on the right bank of the Bystrzyca Dusznicka will be about 348 m. The total length of the section covered by the works only on the left bank of the Bystrzyca Dusznicka will be about 290 m. The total length of the section where the works will be carried out in parallel on both banks will be about 2 715 m. The length of the flood protection embankment by the sewage treatment plant will be about 200 m.

Regional Director for Environmental Protection in Wrocław Wojciech Rejman /signed with a qualified electronic signature

** *	
Document identifier	97951.320967.353190
Name of the document	18a - CHARACTERISTICS - appendix to the decision, flood protection Polanica-Zdroj facility.pdf
Document Title	18a - CHARACTERISTICS - appendix to the decision, flood protection Polanica-Zdroj facility
Document reference	WOOŚ.420.16.2020
	30.10.20 09:45:02
Document abbreviation	85FA60FDAA0B6E9889DBC1BAA86ADE4A9 32ED711
Document version	1.1
Signature date	30.10.20
Cionad hy	Wojciech Rejman; RDOŚ in Wrocław REGIONAL DIRECTOR
Signed by	Qualified certificate for electronic signature card
Type of certificate	
	EZD 3.98.1.1.7409
	30.10.20 10:05:26
Author of printout	PAWLAK ANASTAZJA

I confirm that the copy is compatible with the electronic document: